

Electric height adjustable frames | ConSet.US



ConSet America

Electric height adjustable desks

501-19



501-19

Stand-alone or in a group

- 501-19 Center is sturdy and compact with a symmetrical design that allows access from all sides. Add the optional 3" heavy duty locking casters and rechargeable battery and you have complete mobility without any wires.
- 501-19 Basic is excellent for grouping tables together. With 220 lbs. as maximum load it can be used with a variety of tabletops. Add casters and a rechargeable battery for additional flexibility.
- 501-19 Design lends unique style to this series with an attractive crescent shaped base, and well suited to be arranged in groups.

Electric height adjustable desks

501-19



Electric height adjustable desks

501-23



501-23

Strong and stylish

501-23 is strong and stylish with integrated cable management. Its expandable length makes it well suited for many top sizes. The symmetrical design makes the frame excellent for conference tables and large work surfaces. Optional 3-column versions accommodate extra long tables and L-shaped configurations. Maximum load is 440 lbs.

Electric height adjustable desks

501-23



Electric height adjustable desks

501-27



Electric height adjustable desks

501-27

501-27

501-27 is perfect as a free standing desk

501-27 is perfect as a free standing desk or in cubicle applications and it exceeds the standards set by ANSI/ HFES 100 - 2007 Human Factors Engineering of Computer Workstations guidelines.

This is the most in-depth and current ergonomic guideline in the world and it states that the optimum adjustment range for height adjustable desks should accommodate individuals from the 5th to 95th percentile by having the work surface adjust from 22" to 48". With our 501-27 and a 1" thick tabletop you get full adjustability from 22" to 48".

Combine this with a 220 lbs maximum load, automatic safety stop, optional locking casters and the ability to accommodate 18" deep tabletops and you get a desk that covers all the bases. Removable top bracket allows for easy installation of keyboard support.

Electric height adjustable desks

501-33



Electric height adjustable desks

501-33



501-33

Versatile and stylish

An elegant and stylish desk designed with a single telescopic open frame. The square columns give this desk a modern look, which makes it suitable for all kinds of office environments. The 501-33 is available in 3 different colors.

Quick and easy to assemble - It's that easy!!

The 501-33 is ANSI/BIFMA X5.5-2014 tested and approved.

Electric height adjustable desks

501-37



Electric height adjustable desks

501-37



501-37

Striking open design

Striking open design defines 501-37. The three stage frame is tested and approved according to Ansi/Bifma x5.5-2014. The frame is available in three different colors; silver, black and white. Choose from fixed widths or an expandable bracket for more flexibility.

Easily assembled in a few quick steps.

Electric height adjustable desks

501-43



501-43

Modern design and stylish

The 501-43 is a 2 or 3 column desk defined by its clean lines, and its open frame structure. You can recognize the 501-43 by its square column and slender foot design. It is available in 3 different colors. Add the third column and you get a desk, which offers plenty of space for all kinds of job functions. The robust frame makes the 501-43 a strong and durable desk for any office environment.

Electric height adjustable desks

501-43



Electric height adjustable desks

501-49

501-49

A minimalistic and elegant look

The 501-49 is an elegant desk designed in a minimalistic look, which will compliment any office environment. The round columns are designed with a double telescopic mechanism which allows more overlap between the tubes, resulting in improved travel and stability.

The 501-49 is easy to assemble and offers an impressive timeless design.



Electric height adjustable desks

501-49



Electric height adjustable desks

501-88



501-88

Functionality and modern design

The bench 501-88 is very suitable for large office environments and the design makes it easy to separate the desks from each other with a partition screen. Mount a cable tray to conceal cables, which also makes cleaning a lot easier.

501-88 is a functional, robust and durable desk for all purposes.

Electric height adjustable desks

501-88





Electric height adjustable desks

Frames



501-19 - Technical specifications

Page 2-3

Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max ("") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-19 8SW 501-19 8BW *	N/A N/A	Silver Black	27-47	1.1	176	637 637
		501-19 8S060 501-19 8B060 *	23 5/8 23 5/8 *	Silver Black	27-47	1.1	176	665 665
		501-19 8S095 501-19 8B095 *	37 3/8 37 3/8 *	Silver Black	27-47	1.1	176	665 665
		501-19 8S120 501-19 8B120 *	47 1/8 47 1/8 *	Silver Black	27-47	1.1	176	902 902

501-23 - Technical specifications

Page 4-5



Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max ("") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-23 8S200 501-23 8B200 *	78 3/4 78 3/4 *	Silver Black	27-47	0.9	386	1442 1442
		501-23 8S190-190A 501-23 8B190-190A *	74 3/4 74 3/4 *	Silver Black	27-47	0.9	386	1911 1911

Electric height adjustable desks

Frames


501-27 - Technical specifications

Page 6-7

Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-27 8S084	32 7/8	Silver	22-48	1.2	220	925
		501-27 8S129	50 7/8	Silver				925
		501-27 8S144	56 3/4	Silver				925
		501-27 8S152	59 7/8	Silver				925
		501-27 8S172 *	67 3/4 *	Silver				925
		501-27 8S144-115A	56 3/4	Silver	22-48	1.2	176	1619
		501-27 8S144-144A	56 3/4	Silver				1619
		501-27 8S152-115A	59 7/8	Silver				1619
		501-27 8S152-152A	59 7/8	Silver				1619
		501-27 8S172-172A *	67 3/4 *	Silver				1619

501-33 - Technical specifications

Page 8-9

Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-33 8W082	32 1/4	White	27-47	1	176	598
		501-33 8W112	44 1/8	White				598
		501-33 8W129	50 7/8	White				598
		501-33 8W142	55 7/8	White				598
		501-33 8W152	59 7/8	White				598
		501-33 8W172	67 3/4	White				598
		501-33 8S082	32 1/4	Silver				598
		501-33 8S112	44 1/8	Silver				598
		501-33 8S129	50 7/8	Silver				598
		501-33 8S142	55 7/8	Silver				598
		501-33 8S152	59 7/8	Silver				598
		501-33 8S172	67 3/4	Silver				598
		501-33 8B082	32 1/4	Black				598
		501-33 8B112	44 1/8	Black				598
		501-33 8B129	50 7/8	Black				598
		501-33 8B142	55 7/8	Black				598
		501-33 8B152	59 7/8	Black				598
		501-33 8B172 *	67 3/4 *	Black				598
		501-33 8W112-152	44 1/8-59 7/8	White	27-47	1	176	638
		501-33 8S112-152	44 1/8-59 7/8	Silver				638
		501-33 8B112-152 *	44 1/8-59 7/8 *	Black				638

Electric height adjustable desks

Frames

501-37 - Technical specifications

Page 10-11



Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-37 8W082	32 1/4	White	22-48	1.2	220	708
		501-37 8W092	36 1/4	White				708
		501-37 8W112	44 1/8	White				708
		501-37 8W129	50 7/8	White				708
		501-37 8W142	55 7/8	White				708
		501-37 8W152	59 7/8	White				708
		501-37 8W172	67 3/4	White				708
		501-37 8S082	32 1/4	Silver				708
		501-37 8S092	36 1/4	Silver				708
		501-37 8S112	44 1/8	Silver				708
		501-37 8S129	50 7/8	Silver				708
		501-37 8S142	55 7/8	Silver				708
		501-37 8S152	59 7/8	Silver				708
		501-37 8S172	67 3/4	Silver				708
		501-37 8B082	32 1/4	Black				708
		501-37 8B092	36 1/4	Black				708
		501-37 8B112	44 1/8	Black				708
		501-37 8B129	50 7/8	Black				708
		501-37 8B142	55 7/8	Black				708
		501-37 8B152	59 7/8	Black				708
		501-37 8B172 *	67 3/4 *	Black				708
		501-37 8W112-152	44 1/8-59 7/8	White	22-48	1.2	220	748
		501-37 8S112-152	44 1/8-59 7/8	Silver				748
		501-37 8B112-152 *	44 1/8-59 7/8 *	Black				748
		501-37 8W112-091C	44 1/8	White	22-48	1.2	220	1146
		501-37 8W142-115A	55 7/8	White				1146
		501-37 8W142-142A	55 7/8	White				1146
		501-37 8W152-091C	59 7/8	White				1146
		501-37 8W172-115A	67 3/4	White				1146
		501-37 8W172-142A	67 3/4	White				1146
		501-37 8W172-172A	67 3/4	White				1146
		501-37 8S112-091C	44 1/8	Silver				1146
		501-37 8S142-115A	55 7/8	Silver				1146
		501-37 8S142-142A	55 7/8	Silver				1146
		501-37 8S152-091C	59 7/8	Silver				1146
		501-37 8S172-115A	67 3/4	Silver				1146
		501-37 8S172-142A	67 3/4	Silver				1146
		501-37 8S172-172A	67 3/4	Silver				1146
		501-37 8B112-091C	44 1/8	Black				1146
		501-37 8B142-115A	55 7/8	Black				1146
		501-37 8B142-142A	55 7/8	Black				1146
		501-37 8B152-091C	59 7/8	Black				1146
		501-37 8B172-115A	67 3/4	Black				1146
		501-37 8B172-142A	67 3/4	Black				1146
		501-37 8B172-172A *	67 3/4 *	Black				1146

Electric height adjustable desks

Frames

501-43 - Technical specifications

Page 12-13


Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-43 8W082	32 1/4	White	26-50	1.2	220	784
		501-43 8W112	44 1/8	White	26-50	1.2	220	784
		501-43 8W129	50 7/8	White	26-50	1.2	220	784
		501-43 8W142	55 7/8	White	26-50	1.2	220	784
		501-43 8W152	59 7/8	White	26-50	1.2	220	784
		501-43 8W172	67 3/4	White	26-50	1.2	220	784
		501-43 8S082	32 1/4	Silver	26-50	1.2	220	784
		501-43 8S112	44 1/8	Silver	26-50	1.2	220	784
		501-43 8S129	50 7/8	Silver	26-50	1.2	220	784
		501-43 8S142	55 7/8	Silver	26-50	1.2	220	784
		501-43 8S152	59 7/8	Silver	26-50	1.2	220	784
		501-43 8S172	67 3/4	Silver	26-50	1.2	220	784
		501-43 8B082	32 1/4	Black	26-50	1.2	220	784
		501-43 8B112	44 1/8	Black	26-50	1.2	220	784
		501-43 8B129	50 7/8	Black	26-50	1.2	220	784
		501-43 8B142	55 7/8	Black	26-50	1.2	220	784
		501-43 8B152	59 7/8	Black	26-50	1.2	220	784
		501-43 8B172 *	67 3/4 *	Black	26-50	1.2	220	784
		501-43 8W112-152	44 1/8-59 7/8	White	26-50	1.2	220	824
		501-43 8S112-152	44 1/8-59 7/8	Silver	26-50	1.2	220	824
		501-43 8B112-152 *	44 1/8-59 7/8 *	Black	26-50	1.2	220	824
		501-43 8W172-172A	67 3/4	White	26-50	1.2	198	1240
		501-43 8S172-172A	67 3/4	Silver	26-50	1.2	198	1240
		501-43 8B172-172A *	67 3/4 *	Black	26-50	1.2	198	1240

Electric height adjustable desks

Frames



501-49 - Technical specifications

Page 14-15

Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-49 8W082	32 1/4	White	26-50	1.2	220	863
		501-49 8W112	45	White				863
		501-49 8W129	51 3/4	White				863
		501-49 8W142	55 7/8	White				863
		501-49 8W152	60 3/4	White				863
		501-49 8W172	68 5/8	White				863
		501-49 8S082	32 1/4	Silver				863
		501-49 8S112	45	Silver				863
		501-49 8S129	51 3/4	Silver				863
		501-49 8S142	55 7/8	Silver				863
		501-49 8S152	60 3/4	Silver				863
		501-49 8S172	68 5/8	Silver				863
		501-49 8B082	32 1/4	Black				863
		501-49 8B112	45	Black				863
		501-49 8B129	51 3/4	Black				863
		501-49 8B142	55 7/8	Black				863
		501-49 8B152	60 3/4	Black				863
		501-49 8B172 *	68 5/8 *	Black				863
		501-49 8W112-152	116-60 3/4	White	26-50	1.2	220	903
		501-49 8S112-152	116-60 3/4	Silver				903
		501-49 8B112-152 *	116-60 3/4 *	Black				903

501-88 - Technical specifications







Page 16-17

Product photo * featured image	Dimensional drawing * featured image	Item no.	Frame width (inch)	Color	Frame height min/max (") incl. tabletop	Max. speed ("/sec.)	Maximum load (lbs)	Price (\$)
		501-88 8W082	32 1/4	White	26-50	1.2	220	1542
		501-88 8W112	44 1/8	White				1542
		501-88 8W129	50 7/8	White				1542
		501-88 8W142	55 7/8	White				1542
		501-88 8W152	59 7/8	White				1542
		501-88 8W172	67 3/4	White				1542
		501-88 8S082	32 1/4	Silver				1542
		501-88 8S112	44 1/8	Silver				1542
		501-88 8S129	50 7/8	Silver				1542
		501-88 8S142	55 7/8	Silver				1542
		501-88 8S152	59 7/8	Silver				1542
		501-88 8S172	67 3/4	Silver				1542
		501-88 8B082	32 1/4	Black				1542
		501-88 8B112	44 1/8	Black				1542
		501-88 8B129	50 7/8	Black				1542
		501-88 8B142	55 7/8	Black				1542
		501-88 8B152	59 7/8	Black				1542
		501-88 8B172 *	67 3/4 *	Black				1542
		501-88 8W112-152	44 1/8-59 7/8	White	26-50	1.2	220	1622
		501-88 8S112-152	44 1/8-59 7/8	Silver				1622
		501-88 8B112-152 *	44 1/8-59 7/8 *	Black				1622

Electric height adjustable desks





Table tops

Top Details (USD)

Item no.	Beech	Maple	Item no.	Beech	Maple
36-24S			66-30S		
 Actual size: 34"-23"	139	139	 Actual size: 64"-29"	263	263
42-24S			72-24S		
 Actual size: 40"-23"	162	162	 Actual size: 70"-23"	258	258
42-30S			72-30S		
 Actual size: 40"-29"	197	197	 Actual size: 70"-29"	283	283
48-24S			84-30S		
 Actual size: 46"-23"	184	184	 Actual size: 82"-29"	353	353
48-30S			117H		
 Actual size: 46"-29"	202	202		293	293
60-24S			120H		
 Actual size: 58"-23"	234	234		348	348
60-30S			138H		
 Actual size: 58"-29"	243	243		280	280

Electric height adjustable desks

Accessories

Product photo	Dimensional drawing		Item no.	Price
		Programmable handset	139250	71
		Pen-drawer	440-1	78
		Castor set, 501-19	501-19 HXXX	58
		501-19 - Manuel tilt full top	501-19 V-HEL	191
		Extender leg for 501-27 and 501-32	501-27 ES020	77
		Universal cable-tray, Black	501-XX CB096-166	31
		Universal cable-tray, Silver	501-XX CS096-166	31
		Universal cable-tray, White	501-XX CW096-166	31
		Battery pack, 24VDC/1,7AH	BAT-24-1,7	362

Electric height adjustable desks

General information

ONE MOTOR THAT DOES IT ALL

Prolonged sitting has become part of everyday life for many office employees. When you're sitting still in front of a computer for hours every day, the risk of injury increases and it influences your level of energy. A height adjustable desk from ConSet gives you the ability to go from the sitting to the standing position whenever you wish at the push of a button. The engineering in and around the motor is the heart of the desk. It ensures calm and gentle movements when you wish to move the table top either up or down and it ensures that the table top is always evenly adjusted.

With ConSet you get a one-motor-desk that does it all.

- Reliable
- High quality
- Great lifting capacity
- High construction strength
- Affordable prices

STRENGTH & STABILITY

Stability means everything when you're choosing an office desk. Every height adjustable desk from ConSet is made from quality materials and meet both the EU and Danish working environment authority's demands on a flexible and ergonomic workplace. This ensures you a stable and long lasting desk – and greater employee well-being. Unlike many tables that have two motors, a ConSet table withstands an uneven load. This means that you can place your office equipment anywhere on the table top. The total load on the desk frame must always be within the maximum working load that is specified for each ConSet product.

ENVIRONMENT

At ConSet we think it is important to minimize environmental impacts. We want to take responsibility for ensuring that our products are made respecting the environment. We do this in several ways:

- Our wood products are FSC labelled, which is a guarantee that you can buy our tabletops and other wood products in good conscience.
FSC criteria prohibits conversion of forests or any other natural habitat.
- All electronic components meet RoHS framework for the reduction of hazardous substances in electronics, whereby the environmental impact is minimized.
- Through Elretur (Denmark), we ensure that electronic waste is managed environmentally under the WEEE directive.

CE MARKING & PRODUCT APPROVALS

All ConSet electric height adjustable desk frames are CE marked in collaboration with the Technological Institute in Denmark. CE marking is a requirement for height adjustable desk frames and it allows you to be sure that the producer has been through all aspects of security risks. Furthermore, all our main power units are GS-marked (German standard) and UL listed for USA and Canada.

EN 527-1/2/3: Dimensions / Mechanical safety requirements / Methods of Test for the Determination of Stability and Strength of the structure.

DS/EN 12720-21-22: Furniture - Assessment of surface resistance to cold liquids, wet and dry heat.

CONSET - A DANISH COMPANY


ConSet was founded in 2000 in Denmark, and our basic philosophy was that ergonomics should not be expensive. We began with the idea to develop and manufacture high quality electric height adjustable desks and to make them affordable so more people could experience the benefits of sit-stand desks. The company has succeeded well and now has distribution and subsidiaries throughout the world.



FRAMES



Tops



Notes

[illegible]

Electric height adjustable desks

Combination chart

Frames	Tops	36-24S	42-24S	42-30S	48-24S	48-30S	60-24S	60-30S	66-30S	72-24S	72-30S	84-30S	117H	120H	138H	140H	60-24S + 36-24S	72-30S + 42-24S			
501-19 8X060		•	•	•																	
501-19 8X095				•		•							•	•	•	•					
501-19 8X120					•	•							•	•	•	•					
501-27 8X084			•	•	•	•									•						
501-27 8X144							•	•													
501-27 8X144-144A																	•				
501-27 8X152									•												
501-27 8X172										•	•	•									
501-27 8X172-172A																		•			
501-33 8X082				•																	
501-33 8X112						•															
501-33 8X142								•													
501-33 8X152									•												
501-33 8X172											•	•									
501-37 8X082		•	•	•																	
501-37 8X112					•	•															
501-37 8X142							•	•													
501-37 8X152									•												
501-37 8X172										•	•	•									
501-43 8X082				•																	
501-43 8X112						•															
501-43 8X142								•													
501-43 8X152									•												
501-43 8X172											•	•									
501-43 8X172-172A																		•			
501-49 8X082				•																	
501-49 8X112						•															
501-49 8X129								•													
501-49 8X152									•												
501-49 8X172											•	•									

ConSet America
PO Box 1216
1089A East Street
Pittsboro
NC 27312
USA

ConSet America
755 Lillard Drive, Suite 101
Sparks
NV 89434
USA

Phone: 800-293-9051 or 919-542-6145
NC Fax: 919-542-4923
NV Fax: 775-359-1921

info@conset.us
www.conset.us

ConSet America